

## Registration #95667

APS3613

## Section 1 - Overview

## Models

<b>Model Number</b>	DCH5-050AU
<b>Brand</b>	<u>EMERSON</u>

## Administrative Details

<b>Status</b>	Approved
<b>Registration Number</b>	APS3613
<b>Regulatory Authority</b>	Australian Regulator
<b>Regulator Terms Accepted</b>	Yes
<b>Agency</b>	Commonwealth
<b>Submitted Date</b>	Jan. 21, 2016
<b>Registration Date</b>	Jan. 22, 2016
<b>Expiry Date</b>	March 16, 2021
<b>Clock Run Time</b>	0
<b>Date Approved</b>	Jan. 22, 2016
<b>Archive Status</b>	Not Archived
<b>Suspension Status</b>	Not Suspended
<b>Approval Certificate</b>	<a href="#">Click to download</a>

## Registration Type

<b>Appliance Type</b>	External Power Supply (PS)
<b>Product Class</b>	Class 1
<b>Determination</b>	Greenhouse and Energy Minimum Standards (External Power Supplies) Determination 2014
<b>Type of EPS application</b>	Single model - Non-user selectable (Switchmode)
<b>Application is For</b>	High Efficiency 2008 (Mark V)
<b>Model / Test Configuration</b>	One Model With One Test

## Applicant Details

<b>Applicant ID</b>	101802
<b>Applicant Organization Name</b>	Astec International Ltd - PB
<b>Applicant ABN</b>	-
<b>Applicant Contact Name</b>	Peter Paul Dychitan
<b>Applicant Phone</b>	63 2 9954360
<b>Applicant Fax</b>	63 2 9954050
<b>Applicant Email</b>	Peterpaul.Dychitan@artesy.com
<b>Applicant Website</b>	<a href="http://www.artesy.com/">http://www.artesy.com/</a>
<b>Applicant Address</b>	3rd and 4th Floor Techno Plaza One Bldg. #18 Orchard Rd., Eastwood City

	Bagumbayan, Quezon City, 1110
<b>Applicant Postal Address</b>	3rd and 4th Floor Techno Plaza One Bldg. #18 Orchard Rd., Eastwood City Bagumbayan, Quezon City, 1110
<b>Applicant Role</b>	Confirmed

#### Payment

<b>Payment Status</b>	Paid
<b>Payment Method</b>	On-line payment via (Reserve Bank)
<b>Payment Amount</b>	440.0
<b>Payment Date</b>	Dec. 21, 2015

#### Administrative Contact

<b>Name</b>	Mark Raicevich
<b>Organization</b>	Emerson Network Power Australia & New Zealand
<b>Job Title</b>	Director Technical Support
<b>Phone Number</b>	61 2 9914 2932
<b>Fax Number</b>	61 2 9743 7063
<b>Email</b>	Mark.Raicevich@emerson.com
<b>Address</b>	B1 P, 391, Park Road, Regent Park Estate Regent Park, NSW, 2143 Australia

#### Technical Contact

As for administrative contact

#### Accounts Payable Contact

As for administrative contact

#### Information for Public Website

<b>Availability Status</b>	Unavailable
<b>Date First Available</b>	June 1, 2010
<b>Date Available Until</b>	March 31, 2012
<b>Publication Status</b>	Published
<b>Publication Date</b>	Jan. 22, 2016
<b>Product Images</b>	None Supplied
<b>Product Website</b>	None supplied
<b>User Manual</b>	None supplied

## Section 2 - Product Details

#### Models

<b>Model Number</b>	DCH5-050AU
<b>Brand</b>	<u>EMERSON</u>

#### Manufacturer

<b>Company Name</b>	Astec International Limited
<b>ABN</b>	Not supplied
<b>Address</b>	16th Floor, Lu PLaza , 2 Wing Yip Street Kwun Tong, Kowloon, 999077 Hong Kong
<b>Contact Name</b>	Peter Paul Dychitan

Company Phone	6329954369
Company Fax	6329954050
Company Email	Peterpaul.Dychitan@artesy.com
Company Website	<a href="http://www.artesy.com/">http://www.artesy.com/</a>
Manufacturing Countries	China

### Availability

Date of First Availability	June 1, 2010
Selling Countries	Australia
	Fiji
	New Zealand

### Date of Manufacture

Method of Determination	From a date permanently marked on the rating plate in an encrypted format
Description of Determination Process	MMMMWWSSSSRRL MMMM= MODEL ID WW= MANUFACTURING YEAR AND WEEK CODE SSSS= UNIQUE SERIAL NUMBER RR= MODEL REVISION L= MANUFACTURING LOCATION

### Appliance Details

Product configuration	AC-DC
Nameplate Image	<a href="#">attachments/Label_specs_41766903230-dvt.pdf</a>
Nameplate input frequency range: Minimum:	50.0 Hz
Nameplate input frequency range: Maximum:	60.0 Hz
Nameplate input voltage range: Minimum	100.0 V
Nameplate input voltage range: Maximum	240.0 V
Output voltage check	True

### Additional Nameplate Image Files

### Model Details

Please provide information common to all models:

Nameplate output voltage:	5.0 V
Nameplate output power:	5.0 W

Please provide information specific to each model:

### Test Results

Nameplate output voltage: Minimum	5.0 V
Nameplate output voltage: Maximum	5.0 V
Nameplate output power: Minimum	5.0 W
Nameplate output power: Maximum	5.0 W
No load input power: Minimum:	0.145 W
Average active mode efficiency: Minimum:	71.95 %

## Section 3 - Test Details

### Test Report Information

Is a test report provided?	Yes - a test report is provided
Test Report Type	None

<b>Test Standard Used</b>	AS/NZS 4665.1:2005
<b>Test Report Notes</b>	None provided

### Test Laboratory

<b>Laboratory Name</b>	Astec International Limited - PB
<b>Laboratory Type</b>	Own Lab
<b>Accreditation Type</b>	Other (please specify)
<b>Further Accreditation Information</b>	IEC 60950-1
<b>Accreditation Number</b>	
<b>Address</b>	3rd & 4th Floor Techno Plaza one Bldg., #18 Orchard Road, Bagumbayan Q.C. 1110 Libis Philippines

### Test Report(s)

<b>Report Number</b>	NA
<b>Report Signatory</b>	NA
<b>Test Date</b>	Jan. 1, 1990
<b>Test Unit Serial Number</b>	NA
<b>Test Report File</b>	Supplied