



# 产品认证证书

证书编号: CQC13001097219

## 申请人名称及地址

雅达电子国际有限公司  
香港九龙观塘荣业街二号振万广场十六楼

## 制造商名称及地址

雅达电子国际有限公司  
香港九龙观塘荣业街二号振万广场十六楼

## 生产企业名称及地址

中山市纸箱总厂有限公司 (V011592)  
中国广东省中山市石岐区岐关西路62号 528400

## 产品名称和系列、规格、型号

开关电源

见附件 (不带电线组件销售, 仅适用于海拔2000米以下地区安全使用, 仅适用于非热带气候条件下使用)

## 产品标准和技术要求

GB4943.1-2011; GB9254-2008 (CLASS A); GB17625.1-2012

## 认证模式

产品型式试验+初次工厂检查+获证后监督

上述产品符合CQC12-045670-2009认证规则的要求, 特发此证。

发证日期: 2014年09月09日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2013年08月08日

主任: \_\_\_\_\_



## 中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>

C 0056386



# PRODUCT CERTIFICATE

No.: CQC13001097219

## NAME AND ADDRESS OF THE APPLICANT

ASTEC INTERNATIONAL LIMITED  
16th Floor, Lu Plaza 2 Wing Yip Street, Kwun Tong, Kowloon, Hong Kong

## NAME AND ADDRESS OF THE MANUFACTURER

ASTEC INTERNATIONAL LIMITED  
16th Floor, Lu Plaza 2 Wing Yip Street, Kwun Tong, Kowloon, Hong Kong

## NAME AND ADDRESS OF THE FACTORY

ZHONGSHAN GENERAL CARTON BOX FACTORY CO. LTD. (V011592)  
NO. 62, QI GUAN ROAD WEST, SHIQI DISTRICT, ZHONGSHAN CITY, GUANGDONG, PEOPLE'S  
REPUBLIC OF CHINA 528400

## NAME, MODEL AND SPECIFICATION

Switching Power Supply

See Appendix (Sale without cord set,Altitude up to 2000m:Non-tropical climate)

## THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011;GB9254-2008(CLASS A);GB17625.1-2012

## CERTIFICATION MODEL

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned products have met the requirements of certification rules  
CQC12-045670-2009.

Date of issue: Sep.09,2014

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing  
certification body until the expiry date.

Date of original certification: Aug.08,2013

President:

Wang Kejiao



## CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

C 0056386



# 产品认证证书

附录:

证书编号: CQC13001097219

第 1 页 共 2 页

纸号: 56386

DS3000PE-3-XXX

风向顺吹条件:

交流输入: 100-120V, 50/60Hz, 16A max,

直流输出: 112.5A max +12V, 4.5A max +12Vsb, 最大输出功率: 1350W

交流输入: 200-207V, 50/60Hz, 16A max

直流输出: 225.0A max +12V, 4.5A max +12Vsb, 最大输出功率: 2700W

交流输入: 208-214V, 50/60Hz, 16A max

直流输出: 245.0A max +12V, 4.5A max +12Vsb, 最大输出功率: 2940W

交流输入: 215-240V, 50/60Hz, 16A max,

直流输出: 250.0A max +12V, 4.5A max +12Vsb, 最大输出功率: 3000W

风向逆顺吹条件:

交流输入: 100-120V, 50/60Hz, 16A max,

直流输出: 112.5A max +12V, 4.5A max +12Vsb, 最大输出功率: 1350W

交流输入: 200-207V, 50/60Hz, 16A max

直流输出: 231.7A max +12V, 4.5A max +12Vsb, 最大输出功率: 2730W

交流输入: 208-214V, 50/60Hz, 16A max

直流输出: 231.7A max +12V, 4.5A max +12Vsb, 最大输出功率: 2730W

交流输入: 215-240V, 50/60Hz, 16A max,

直流输出: 231.7A max +12V, 4.5A max +12Vsb, 最大输出功率: 2730W

DS3000PE-3-403:

风向顺吹条件:

交流输入: 100-120V, 50/60Hz, 16A max

直流输出: 110.0A max +12.25V, 4.5A max +12Vsb, 最大输出功率: 1350W

注: 此附录与证书同时使用时有效。

主任: 



## 中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



# 产品认证证书

附录:

证书编号: CQC13001097219

第 2 页 共 2 页

纸号: 56386

交流输入: 200-207V, 50/60Hz, 16A max

直流输出: 220.5A max +12.25V, 4.5A max +12Vsb, 最大输出功率: 2700W

交流输入: 208-214V, 50/60Hz, 16A max

直流输出: 240.0A max +12.25V, 4.5A max +12Vsb, 最大输出功率: 2940W

交流输入: 215-240V, 50/60Hz, 16A max,

直流输出: 245.0A max +12.25V, 4.5A max +12Vsb, 最大输出功率: 3000W

注: 此附录与证书同时使用时有效。

主任: \_\_\_\_\_



## 中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>