

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Power Supply, Building-in Type

Name and address of the applicant
Nom et adresse du demandeurAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the manufacturer
Nom et adresse du fabricantAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the factory
Nom et adresse de l'usineNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesAC-input: 4.2/2.2A 100-127/200-250V 50/60Hz
DC-input: 1.6A 220-300V
C.I.ITrademark (if any)
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeurModel / Type Ref.
Ref. De type

LPQ154

Additional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

DC-outputs: Convection cooling: 15.0A max. +5V, 6.0A max. +12V, 2.0A max. -12V(optional), 3.5A max. 24V(optional). Forced air cooling 22.0A max. +5V, 8.0A max. +12V, 2.5A max. -12V(optional), 4.5A max. +24V(optional). Maximum continuous output power: Convection cooling: 75W with cover and 110W without cover. With 30CFM forced air cooling: 130W with cover and 150W without cover.

 Additional information on page 2A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1(ed.2);am1;am2

As shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport desais numéro de référence qui constitue partie de ce Certificat

300400

This CB Test Certificate is issued by the National Certification Body
Ce Certificat desai OC est établi par l'Organisme **National de Certification**Gaustadalléen 30
NO-0373 Oslo, Norway

Date: 07-01-2016

Signature: Nastaran Vadoodi
Certification Department

Astec Power Philippines Inc.
Main Avenue Corner Road "J" Cavite Export Processing
Zone Rosario, Cavite, 4106
Philippines

Astec Power Philippines Inc.
104 Laguna Blvd., Laguna Technopark, Sta. Rosa
Laguna, 4026
Philippines

Astec Electronics (Luoding) Co., Ltd.
No. 68 Baocheng Road East, Fucheng, Luoding,
Guangdong, 527200
China

Zhongshan General Carton Box Factory Co., Ltd.
No. 62, Qi Guan Road West, Shiqi District, Zhongshan
City, Guangdong, 528400
China

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Power Supply, Building-in Type

Name and address of the applicant
Nom et adresse du demandeurAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the manufacturer
Nom et adresse du fabricantAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the factory
Nom et adresse de l'usineNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesAC-input: 4.2/2.2A 100-127/200-250V 50/60Hz
DC-input: 1.6A 220-300V
Cl.ITrademark (if any)
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

LPQ153

Model / Type Ref.
Ref. De typeAdditional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

DC-outputs: Convection cooling: 15.0A max. +5V, 4.8A max. +15V, 1.6A max. -15V, 2.5A max. 5-25V. Forced air cooling: 22.0A max. +5V, 6.4A max. +15V, 2.0A max. -15V, 3.0A max. 5-25V. Maximum continuous output power : Convection cooling: 75W with cover and 110W without cover. With 30CFM forced air cooling: 130W with cover and 150W without cover.

 Additional information on page 2A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1(ed.2);am1;am2

As shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport des essais numéro de référence qui constitue partie de ce Certificat

300400

This CB Test Certificate is issued by the National Certification Body
Ce Certificat de test OC est établi par l'Organisme National de CertificationGaustadalléen 30
NO-0373 Oslo, Norway

Date: 07-01-2016

Signature: Nastaran Vadoodi
Certification Department

Astec Power Philippines Inc.
Main Avenue Corner Road "J" Cavite Export Processing
Zone Rosario, Cavite, 4106
Philippines

Astec Power Philippines Inc.
104 Laguna Blvd., Laguna Technopark, Sta. Rosa
Laguna, 4026
Philippines

Astec Electronics (Luoding) Co., Ltd.
No. 68 Baocheng Road East, Fucheng, Luoding,
Guangdong, 527200
China

Zhongshan General Carton Box Factory Co., Ltd.
No. 62, Qi Guan Road West, Shiqi District, Zhongshan
City, Guangdong, 528400
China

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Power Supply, Building-in Type

Name and address of the applicant
Nom et adresse du demandeurAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the manufacturer
Nom et adresse du fabricantAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the factory
Nom et adresse de l'usineNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesAC-input: 4.2/2.2A 100-127/200-250V 50/60Hz
DC-input: 1.6A 220-300V
Cl.ITrademark (if any)
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeurModel / Type Ref.
Ref. De type

LPQ152

Additional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

DC-outputs: Convection cooling 15.0A max. +5V, 6.0A max. +12V, 2.0A max. -12V, 2.5A max. 5-25V. Forced air cooling 22.0A max. +5V, 8.0A max. +12V, 2.5A max. -12V, 3.0A max. 5-25V. Maximum continuous output power: Convection cooling: 75W with cover and 110W without cover. With 30CFM forced air cooling: 130W with cover and 150W without cover.

 Additional information on page 2A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1(ed.2);am1;am2

As shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport des essais numéro de référence qui constitue partie de ce Certificat

300400

This CB Test Certificate is issued by the National Certification Body
Ce Certificat de test OC est établi par l'Organisme National de CertificationGaustadalléen 30
NO-0373 Oslo, Norway

Date: 07-01-2016

Signature: Nastaran Vadoodi
Certification Department

Astec Power Philippines Inc.
Main Avenue Corner Road "J" Cavite Export Processing
Zone Rosario, Cavite, 4106
Philippines

Astec Power Philippines Inc.
104 Laguna Blvd., Laguna Technopark, Sta. Rosa
Laguna, 4026
Philippines

Astec Electronics (Luoding) Co., Ltd.
No. 68 Baocheng Road East, Fucheng, Luoding,
Guangdong, 527200
China

Zhongshan General Carton Box Factory Co., Ltd.
No. 62, Qi Guan Road West, Shiqi District, Zhongshan
City, Guangdong, 528400
China