



Product Service

# CERTIFICATE

No. B 07 11 13890 364

**Holder of Certificate: Astec International Ltd.**

16 & 17/F, Lu Plaza,  
2 Wing Yip St., Kwun Tong,  
Kowloon  
HONG KONG

**Certification Mark:**



**Product:**

**Switch mode power supplies  
(Switching Mode Power Supply)**


The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. The certification mark must not be altered in any way. See also notes overleaf.

**Test report no.:**

68230722601

**Valid until:**

2010-12-01



**Date,** 2007-11-28

Page 1 of 3



Product Service

**CERTIFICATE**

No. B 07 11 13890 364

**Model(s):****HPS15x-xxx-xxx-xxx****(Where x represents A to Z and/or 0 to 9,  
see page 3 for full details)****Parameters:**Rated Input : 120-240VAC, 50/60/400Hz, 18A max.  
Rated DC Output : V1: 21-60V, 71.42-25A (1500W max.);  
V2: 2.5-5.5V, 5A max.

Construction : Built-in

Protection Class : I

Degree of Protection  
against Ingress of

Dust and Liquid : IPX0

## Remarks :

- When installing the power supply all requirements of the mentioned standard must be fulfilled.
- The power supply contains output exceeding 240VA (Energy Hazard). End system user should not touch output during end system use.
- When V1 output is loaded up to 1500W, the maximum operating ambient temperature is 50°C.
- When V1 output is loaded up to 750W, the maximum operating ambient temperature is 70°C.

**Tested  
according to:**

EN 60950-1/A11:2004

**Production  
Facility(ies):**

28532

**CERTIFICATE**  
**No: B 07 11 13890 364**



Product Service

