

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
ProduitName and address of the applicant
Nom et adresse du demandeurName and address of the manufacturer
Nom et adresse du fabricantName and address of the factory
Nom et adresse de l'usineNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième pageRatings and principal characteristics
Valeurs nominales et caractéristiques principalesTrademark (if any)
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeurModel / Type Ref.
Ref. De typeAdditional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième pageA sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à laAs shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport de tests numéro de référence qui constitue partie de ce CertificatThis CB Test Certificate is issued by the National Certification Body
Ce Certificat de test OC est établi par l'Organisme National de Certification

Power Supply, Open frame Building-in Type

Astec International Ltd., Philippine Branch
3rd & 4th Floor Techno Plaza One Bldg. #18 Orchard Road, Eastwood City Cyberpark, Bagumbayan, Quezon City 1110
PhilippinesAstec International Ltd., Philippine Branch
3rd & 4th Floor Techno Plaza One Bldg. #18 Orchard Road, Eastwood City Cyberpark, Bagumbayan, Quezon City 1110
Philippines Additional information on page 2AC Input: 4A 100-250V 50/60Hz; DC Input: 4A 120Vmin – 300Vmax.
DC Outputs: At 175W 35A +2.5V to +6V, 2A +5VSBTY, 1A +12V; At 110W 22A +2.5V to +6V, 1A +5VSBTY, 0.5A +12V; At 75W 15A +2.5V to +6V, 1A +5VSBTY, 0.5A +12V.

LPS172

Maximum continuous output power of: 175 W with 30 CFM forced-air cooling, unit with or without cover, 110 W with natural convection cooling, unit without cover.

75 W with natural convection cooling, unit with cover. Each output have a derating of 2.5% per degree from 50°C to 70°C ambient temperature.

 Additional information on page 2

IEC 60950-1(ed.2);am1;am2

294915

Astec Power Philippines Inc.
Main Avenue Corner Road "J" Cavite Export Processing
Zone Rosario, Cavite 4106
Philippines

Astec Electronics (Luoding) Co., Ltd.
No. 68, Baocheng Road East, Fucheng, Luoding,
Guangdong, 527200
China

Astec Power Philippines Inc.
104 Laguna Blvd., Laguna Technopark, Sta. Rosa
Laguna 4026
Philippines

Zhongshan General Carton Box Factory Co., Ltd.
No. 62 Qi Guan Road West, Shiqi District, Zhongshan
City, Guangdong, 528400
China