

# Registration #72759

APS0680

## Section 1 - Overview

### Models

<b>Model Number</b>	DA12-050AU-M
<b>Brand</b>	<a href="#">EMERSON NETWORK POWER (ENP)</a>

### Administrative Details

<b>Status</b>	Approved
<b>Product Class</b>	Class 1
<b>Registration Number</b>	APS0680
<b>Regulatory Authority</b>	Australian Regulator
<b>Regulator Terms Accepted</b>	Yes
<b>Submitted Date</b>	June 27, 2013
<b>Registration Date</b>	July 1, 2013
<b>Expiry Date</b>	July 1, 2018
<b>Date Approved</b>	July 1, 2013
<b>Archive Status</b>	Not Archived
<b>Suspension Status</b>	Not Suspended
<b>Approval Certificate</b>	<a href="#">Click to download</a>

### Registration Type

<b>Appliance Type</b>	External Power Supply (PS)
<b>Determination</b>	Greenhouse and Energy Minimum Standards (External Power Supplies) Determination 2012
<b>Type of EPS application</b>	Single model/s
<b>Application is For</b>	High Efficiency 2008 (Mark V)
<b>Model / Test Configuration</b>	Many Models Sharing One Test

## Applicant Details

<b>Applicant ID</b>	101802
<b>Applicant Organization Name</b>	Astec International Ltd - PB
<b>Applicant ABN</b>	-
<b>Applicant Contact Name</b>	Not supplied
<b>Applicant Address</b>	3rd and 4th Floor Techno Plaza One Bldg. #18 Orchard Rd., Eastwood City Bagumbayan, Quezon City, 1110 Other
<b>Applicant Postal Address</b>	3rd and 4th Floor Techno Plaza One Bldg. #18 Orchard Rd., Eastwood City Bagumbayan, Quezon City, 1110 Other
<b>Applicant Role</b>	The applicant is the manufacturer of the product to be registered

## Payment

<b>Payment Status</b>	Paid
<b>Payment Method</b>	On-line payment via (Reserve Bank)
<b>Payment Amount</b>	440.0
<b>Payment Date</b>	June 27, 2013

## Administrative Contact

<b>Name</b>	Christina Chen
<b>Organization</b>	Sing Etac Services Pty Ltd
<b>Job Title</b>	Director
<b>Phone Number</b>	+65 64646372
<b>Fax Number</b>	+65 62343740
<b>Email</b>	jennychen20@gmail.com
<b>Address</b>	33 Mackeller Avenue Wheeler Hill, Vic, 3150 Australia

## Technical Contact

As for administrative contact

## Accounts Payable Contact

As for administrative contact

## Information for Public Website

<b>Availability Status</b>	Available
<b>Date First Available</b>	June 30, 2013
<b>Publication Status</b>	Published
<b>Publication Date</b>	None
<b>Product Images</b>	None Supplied
<b>Product Website</b>	None supplied
<b>User Manual</b>	None supplied

# Section 2 - Product Details

## Models

<b>Model Number</b>	DA12-050AU-M
<b>Brand</b>	<u>EMERSON NETWORK POWER (ENP)</u>

## Manufacturer

<b>Company Name</b>	Astec Power Philippines Inc.
<b>ABN</b>	Not supplied
<b>Address</b>	Main Avenue Corner Road "J" Cavite Export Processing Zone Rosario Cavite, 4106 Philippines
<b>Contact Name</b>	Alona Camposagrado
<b>Company Phone</b>	+63 46 9712351
<b>Company Fax</b>	+63 46 9712501
<b>Company Email</b>	alona.camposagrado@emerson.com
<b>Company Website</b>	<a href="http://www.emerson.com/">http://www.emerson.com/</a>
<b>Manufacturing Countries</b>	Philippines

## Availability

<b>Date of First Availability</b>	June 30, 2013
<b>Selling Countries</b>	Australia
	Fiji
	New Zealand

## Date of Manufacture

<b>Method of Determination</b>	From a date permanently marked on the rating plate in a non-encrypted format
<b>Date Format Example</b>	yymmww

## Appliance Details

<b>Product configuration</b>	AC-DC
<b>Nameplate Image</b>	attachments/Label_DA12-050AU-M.pdf
<b>Nameplate input frequency range: Minimum:</b>	50.0 Hz
<b>Nameplate input frequency range: Maximum:</b>	60.0 Hz
<b>Nameplate input voltage range: Minimum</b>	100.0 V
<b>Nameplate input voltage range: Maximum</b>	240.0 V
<b>Output voltage check</b>	True

## Additional Nameplate Image Files

## Model Details

Please provide information common to all models:

<b>Nameplate output voltage:</b>	5.0 V
<b>Nameplate output power:</b>	10.0 W

Please provide information specific to each model:

<b>Brand name:</b>	EMERSON NETWORK POWER
<b>Model number:</b>	DA12-050AU-M
<b>Nameplate output voltage:</b>	V
<b>Nameplate output power:</b>	W

Test Results	
<b>Nameplate output voltage: Minimum</b>	5.0 V
<b>Nameplate output voltage: Maximum</b>	5.0 V
<b>Nameplate output power: Minimum</b>	10.0 W
<b>Nameplate output power: Maximum</b>	10.0 W
<b>No load input power: Minimum:</b>	0.186 W
<b>No load input power: Maximum:</b>	W
<b>Average active mode efficiency: Minimum:</b>	74.8 %
<b>Average active mode efficiency: Maximum:</b>	%

## Section 3 - Test Details

Test Report Information	
<b>Is a test report provided?</b>	Yes - a test report is provided
<b>Test Report Type</b>	None
<b>Test Standard Used</b>	AS/NZS 4665.1:2005
<b>Test Report Notes</b>	None provided

Test Laboratory	
<b>Laboratory Name</b>	Astec International Limited - Philippine Branch
<b>Laboratory Type</b>	Own Lab
<b>Accreditation Type</b>	Other (please specify)
<b>Accreditation Number</b>	
<b>Address</b>	3rd & 4th Floor Techno Plaza One Bldg. #18 Orchard Road Eastwood City Cyberpark, Bagumbayan, Quezon City 1110 Philippines Philippines

Test Report(s)	
<b>Report Number</b>	MTR-EW-13-001
<b>Report Signatory</b>	Dino Dineros
<b>Test Date</b>	June 14, 2013
<b>Test Unit Serial Number</b>	H707EL00020BL
<b>Test Report File</b>	Supplied